

HAZELWOOD CEMETERY MONUMENT REGULATIONS

Monument or grave marker size shall be limited to:

Not over a 30" base on single graves; 24" on infant graves.

Not over a 6' base on a 10' x 10' plot (3 gravesites); only one upright monument allowed, any other grave markers must be flush to the ground.

Not over a 12' base on 20' x 20' family plots (12 gravesites); only one upright monument allowed (Centered in the middle of the lot), any other grave markers must be flush to the ground.

All monuments with a base of 3'0" x 1'2" or less, shall be placed on a concrete foundation of at least 18" in depth. 24" "flat-to-the-ground" markers shall be placed on a concrete foundation at least 12" deep and be flush with the turf line.

All monuments and markers with a base greater than 3'0" x 1'2", weighing 3,000 lbs. or less, shall be placed on a concrete foundation of at least 24" in depth. All monuments weighing over 3,000 lbs. shall be placed on a concrete foundation of at least 30" in depth. The weight of a monument or marker is calculated at 187 lbs. per cubic foot.

All foundations are to extend 2" beyond the base of monument in all directions and be flush with turf line.

All foundations shall be made using a standard wet mix consisting of four parts chat, one part sand, and one part cement.


All corner stones must be set flush with ground level.

In sections of Hazelwood, where upright markers are presently installed on the lot, additional markers must be placed flush with the ground level. Monuments or markers are placed at the head of the grave with the burials to the East side.

Eligible veterans may also have military grave markers from the Veteran's Administration that must be set flush to the ground. Where there may already be an upright monument the veteran's marker will be placed at the foot.

No monument, or markers, or opening/closing work will be permitted on the cemetery property until all cemetery property charges are paid in full which includes the perpetual care fee that is now included in the purchase price.

The correct location for setting memorials, monuments, or grave markers must be obtained from the Hazelwood administration office. Work and type of monument must meet with the approval of the Department of Public Works.



UPRIGHT MONUMENT

NAME SHOULD BE INSCRIBED ON
BOTH SIDES



BASE